


OMRON PRICE LIST w.e.f 1st November 2014
INDEX

- 1) GENERAL PURPOSE RELAYS
- 2) SOCKET FOR RELAYS/TIMERS
- 3) PCB/SOCKET MOUNTING RELAY
- 4) SOLID STATE RELAYS
- 5) SMPS (POWER SUPPLY)
- 6) TEMPERATURE CONTROLLERS
- 7) COST EFFECTIVE PROXIMITY SENSORS -- E2GN SERIES
- 8) LONG SENSING PROXIMITY SENSORS -- E2A SERIES
- 9) CONNECTORS FOR PROXIMITY SENSORS
- 10) SQUARE PROXIMITY SENSORS
- 11) PHOTOSENSORS
- 12) TIMERS
- 13) MEASURING & MONITORING RELAYS
- 14) LIMIT SWITCHES
- 15) MICRO PLC
- 16) BASIC LEVEL CONTROLLER
- 17) ROTARY ENCODERS

SALES TEAM

PRODUCT MANAGER	Areas	Contact No.
AMIT BHAVSAR	ALL INDIA	7506719951
SANJEEV BHATIA	DELHI	9820161034
MANISH SHAH	MUMBAI - CENTRAL	7506440735
YATIN CHAVAN	MUMBAI - WESTERN	9225932811
PRAKASH N.	BANGALORE	9538863024
ANKIT AGARWAL	KOLKATA	8298084888

BUSINESS MANAGER	Areas	Contact No.
UMESH AGRAWAL	CHANDIGARH	98035 75677
RITESH DHOLAKIA	NASIK	9225932804
HARESH PATIL	GUJARAT	7567266999
AMAR PATIL	PUNE	9225932801
GIRISH DANDEKAR	NAGPUR	9225932870
ANURAG SINGH (ASM)	HYDERABAD	8886050001
SAMEER PATEL	AHMEDABAD	9825033186

TOLL FREE NO. - 1800 266 1658

RELAYS		
Item Description	Generic Description	MRP
MY2 AC100/110 BY OMZ	5A DPDT Relay, 100/110VAC	247
MY2 AC220/240 BY OMZ	5A DPDT Relay, 220/240VAC	221
MY2 AC24 BY OMZ	5A DPDT Relay, 24VAC	301
MY2 DC12 BY OMZ	5A DPDT Relay, 12VDC	247
MY2 DC24 BY OMZ	5A DPDT Relay, 24VDC	221
MY2N AC100/110 BY OMZ	5A DPDT Relay, w LED, 100/110VAC	250
MY2N AC220/240 BY OMZ	5A DPDT Relay, w LED, 220/240VAC	250
MY2N AC24 BY OMZ	5A DPDT Relay, w LED, 100/110VAC	284
MY2N DC100/110 BY OMZ	5A DPDT Relay, w LED, 100/110VDC	501
MY2N DC12 BY OMZ	5A DPDT Relay, w LED, 12VDC	284
MY2N DC24 BY OMZ	5A DPDT Relay, w LED, 24VDC	254
MY2N-CR AC110/120 BY OMZ	5A DPDT Relay, w LED, Built-in CR, 220/240VAC	657
MY2N-CR AC220/240 BY OMZ	5A DPDT Relay, w LED, Built-in CR, 110/120VAC	702
MY2N-D2 DC100/110 BY OMZ	5A DPDT Relay, w LED, Doide, 100/110VDC	598
MY2N-D2 DC24 BY OMZ	5A DPDT Relay, w LED, Doide, 24VDC	329
MY3N AC100/110	5A 3PDT Relay, w indicator, 100/110VAC	856
MY3N AC220/240	5A 3PDT Relay, w indicator, 220/240VAC	856
MY3N DC24	5A 3PDT Relay, w indicator, 24VDC	986
MY4 AC110/120 BY OMZ	3A 4PDT Relay, 110/120VAC	284
MY4 AC220/240 BY OMZ	3A 4PDT Relay, 220/240VAC	254
MY4 AC24 BY OMZ	3A 4PDT Relay, 24VAC	284
MY4 DC12 BY OMZ	3A 4PDT Relay, 12VDC	284
MY4 DC24 BY OMZ	3A 4PDT Relay, 24VDC	254
MY4N AC100/110 BY OMZ	3A 4PDT Relay, w LED, 100/110VAC	299
MY4N AC110/120 BY OMZ	3A 4PDT Relay, w LED, 110/120VAC	299
MY4N AC200/220 BY OMZ	3A 4PDT Relay, w LED, 200/220VAC	299
MY4N AC220/240 BY OMZ	3A 4PDT Relay, w LED, 200/240VAC	299
MY4N AC24 BY OMZ	3A 4PDT Relay, w LED, 24VAC	332
MY4N DC100/110 BY OMZ	3A 4PDT Relay, w LED, 100/110VDC	332
MY4N DC12 BY OMZ	3A 4PDT Relay, w LED, 12VDC	332
MY4N DC24 BY OMZ	3A 4PDT Relay, w LED, 24VDC	299
MY4N DC48 BY OMZ	3A 4PDT Relay, w LED, 48VDC	394
MY4N-CR AC100/110 BY OMZ	3A 4PDT Relay, w LED, Built-in CR, 110/110VAC	669
MY4N-CR AC220/240 BY OMZ	3A 4PDT Relay, w LED, Built-in CR, 220/240VAC	743
MY4N-D2 DC24 BY OMZ	3A 4PDT Relay, w LED, Diode, 24VDC	448
LY2 AC100/110 BY OMI	RELAY : DPDT , AC 100/110	342
LY2 AC220/240 BY OMI	RELAY : DPDT , AC 220/240	415
LY2 DC12 BY OMI	RELAY : DPDT , DC12	442
LY2 DC24 BY OMI	RELAY : DPDT , DC24	384
LY2N AC100/110 BY OMI	RELAY : DPDT , AC 100/120, INDICTOR	411
LY2N AC220/240 BY OMI	RELAY : DPDT , INDICATOR.AC 220/240	411
LY2N DC12 BY OMI	RELAY : DPDT , INDICATOR, DC12	488
LY2N DC24 BY OMI	RELAY : DPDT , INDICATOR, DC24	396
LY2N-CR AC100/110	RELAY : DPDT , INDICATOR.AC 100/110	1,443
LY2N-D2 DC24	RELAY : DPDT , DC24, WITH Diode	863
LY2N-D2-TU DC24	Plug-In Relay	1,484
LY4 AC100/110 BY OMI	RELAY : 4PDT , AC 100/110	745
LY4 DC24 BY OMI	RELAY : 4PDT , DC24	745
LY4N AC100/110 BY OMI	RELAY : 4PDT , INDICATOR, AC 100/110	717
LY4N AC200/220 BY OMI	RELAY : 4PDT , INDICATOR, AC 200/220	721
LY4N AC220/240 BY OMI	Plug-In Relay	1,014
LY4N AC240 BY OMI	RELAY : 4PDT , INDICATOR, AC 240	939
LY4N DC100/110 BY OMI	RELAY : 4PDT , DC100/110	890

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAP | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

RELAYS		
Item Description	Generic Description	MRP
LY4N-D2 DC24	RELAY : 4PDT , Diode, DC 24	1,550
MKS2P AC110	Relay 10A DPDT 110VAC coil	832
MKS2P AC220	Relay 10A DPDT 220VAC coil	880
MKS2P DC24	Relay 10A DPDT 24VDC coil	826
MKS2PI AC220	Relay 10A DPDT 220VAC, Test But	880
MKS2PI DC24	Relay 10A DPDT 24VDC, Test But	826
MKS2PIN AC220	Relay 10A 220VAC LED Test But	1,505
MKS2PN DC24	Relay 10A 24VDC coil w LED	922
MKS3P AC220	Relay 10A 3PDT 2200VAC coil	990
MKS3P AC24	Hi-Capa.Power Relay2	936
MKS3P DC24	Relay 10A 3PDT 24VDC coil	936
MKS3PIN AC110	Relay 10A3PDT 110VAC LED Tesbut	1,611
MKS3PIN AC240	Relay 10A3PDT 240VAC LED Tesbut	1,693
MKS3PIN DC24	Relay 10A3PDT 24VDC LED Tesbut	1,597
MKS3PN AC110	Relay 10A DPDT 110VAC coil LED	1,053
MKS3PN AC240	Relay 10A DPDT 240VAC coil LED	1,693
MKS3PN DC24	Relay 10A DPDT 24VDC coil LED	1,046
MM2XP AC110	DC Relay 7.5A 2PDT 110VAC coil	3,874
MM2XP DC24	DC Relay 7.5A 2PDT 24VDC coil	3,670
MM2XPN DC24	DC Relay7.5A2PDT 24VDC coil LED	4,801
MM2XPN-D DC24	DCRelay 7.5A2PDT 24VDC LED Diode	5,767
MM4XPN DC200/220	Relay 7.5A 4PDT 200/220VDC LED	6,951
MM4XPN DC24	Relay 7.5A 4PDT 24VDC LED	6,949
MM4XPN-D DC24	Relay 7.5A 4PDT 24VDC LED Diode	7,370

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

SOCKET FOR RELAYS/TIMERS		
Item Description	Generic Description	MRP
PTF08A-E BY OMI	1/2 Poles Front connecting Socket : LY	214
PTF14A-E BY OMI	4 Poles Front connecting Socket : LY	384
PYF08A-E BY OMZ	2Pole Front-mounting Socket : MY	118
PYF08A-N BY OMZ	2Pole Front-mounting Socket : MY	118
PYF11A FOR MY	3Pole Front-mounting Socket : MY	504
PYF14A-E BY OMZ	4Pole Front-mounting Socket : MY	167
PYF14A-N BY OMZ	4Pole Front-mounting Socket : MY	178
PYC-A1 FOR MY	Clip for Front-connecting Sockets : MY	26
PF083A-E BY OMZ	Socket	107
PF113A-E BY OMZ	Socket	140
14PFA	DIN/Front Mount Base MM4 Relay	1,051
8PFA	DIN/Front Mount Base MM2 Relay	480
8PFA1	Din socket for 61F	644
P2CF-08	TrACK mounting socket H3C	396
P2CF-11	TrACK mounting socket H3CA-8	607
P2CF-11-E	TrACK mounting skt 11Pin for H7C	835
P2R-05P BY OMZ	1Pole BACK mounting Socket : G2R-1	128
P2R-08P BY OMZ	Connecting Socket	143
P2RF-05 BY OMZ	1Pole surfACe-mounting Socket : G2R-1	471
P2RF-05-E BY OMZ	1Pole surfACe-mounting Socket : G2R-1	241
P2RF-08-E BY OMZ	Relay : Socket for G2R	396
P3G-08	BACK connecting socket H3C	643
P3GA-11	BACK connecting socket H3C	719
PCB/SOCKET MOUNTING RELAY		
Item Description	Generic Description	MRP
G2R-1 AC230 BY OMB	SPDT PCB Relay, 230VAC	295
G2R-1 DC12 BY OMB	SPDT PCB Relay, 12VDC	194
G2R-1 DC24 BY OMB	SPDT PCB Relay, 24VDC	97
G2R-1-S DC24(S) BY OMB	SPDT PCB Power Relay 24VDC	305
G2R-1-SN AC100/(110)(S) BY OMB	SPDT PCB Power Relay 100/110VAC w LED	575
G2R-1-SN DC24(S) BY OMB	SPDT PCB Power Relay 24VDC w LED	349
G2R-1-SND DC24(S) BY OMB	SPDT PCB Power Relay 24VDC w LED Diode	490
G2R-1-SNDI DC24(S) BY OMB	SPDT PCB Power Relay 24VDC w LED Diode Indicator	581
G2R-2 AC220 BY OMB	DPDT PCB Relay, 220VAC	371
G2R-2 AC24 BY OMB	DPDT PCB Relay, 24VAC	340
G2R-2 DC12 BY OMB	DPDT PCB Relay, 12VDC	120
G2R-2-S DC24(S) BY OMB	DPDT PCB Relay, 24VDC	360
G2R-2-SN AC230(S) BY OMB	DPDT PCB Relay, 230VAC w LED	952
G2R-2-SN AC24(S) BY OMB	DPDT PCB Relay, 24VAC w LED	673
G2R-2-SN AC240(S) BY OMB	DPDT PCB Relay, 240VAC w LED	966
G2R-2-SN DC24(S) BY OMB	DPDT PCB Relay, 24VDC w LED	502
G2R-2-SND DC24(S) BY OMB	DPDT PCB Relay, 24VDC w LED, Diode	614
G2R-2-SNDI DC24(S) BY OMB	DPDT PCB Relay, 24VDC w LED, Diode, Indicator	640
G2R-2-SNI AC240(S) BY OMB	DPDT PCB Relay, 240VAC w LED, Indicator	1,041
G2R-2-SNI DC24(S) BY OMB	DPDT PCB Relay, 24VDC w LED, Indicator	488

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCARB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

SOLID STATE RELAY		
Item Description	Generic Description	MRP
G3NA-210B DC5-24	Industrial Relay	2,678
G3NA-210B AC100-120 BY OMZ	10A Solid State Relay, I/P 100-120VAC, O/P 24-240VAC	3,053
G3NA-210B AC200-240 BY OMZ	10A Solid State Relay, I/P 200-240VAC, O/P 24-240VAC	3,053
G3NA-220B AC200-240	20A Solid State Relay, I/P 200-240VAC, O/P 24-240VAC	3,428
G3NA-240B DC5-24	40A Solid State Relay, I/P 5-24VDC, O/P 24-240VAC	5,637
G3NA-420B DC5-24	20A Solid State Relay, I/P 5-24VDC, O/P 200-480VAC	7,517
G3NA-440B-2 DC5-24	Industrial Relay	10,077
G3NA-D210B DC5-24	10A Solid State Relay, I/P 5-24VDC, O/P 5-200VDC	5,239
G3PA-210B-VD DC5-24	10A Power Solid-state Relay, I/P 5-24VDC, O/P 24-240VAC	7,464
G3PA-220B-VD DC5-24	20A Power Solid-state Relay, I/P 5-24VDC, O/P 24-240VAC	8,655
G3PA-240B-VD DC5-24	40A Power Solid-state Relay, I/P 5-24VDC, O/P 24-240VAC	13,167
G3PA-420B-VD DC12-24	20A Power Solid-state Relay, I/P 12-24VDC, O/P 200-400VAC	16,183
Y92B-A100 FOR G3A	Solid state relay : Heat sink for G3A	1,298
Y92B-N150	Solid state relay : Heat sink for G3NB	2,735
Y92B-N50	Solid state relay : Heat sink for G3NA	1,368
Y92E-B18	Heat Sink of Heat resistance 30C : G3PB	250
SMPS		
Item Description	Generic Description	MRP
S8JC-Z01524C	SMPS : 15 W, output 24VDC, 200-240VAC, Bottom mounting	957
S8JC-Z01524CD	SMPS : 15 W, output 24VDC, 200-240VAC, DIN mounting	1,069
S8JC-Z03524C	SMPS : 35 W, output 24VDC, 200-240VAC, Bottom mounting	1,198
S8JC-Z03524CD	SMPS : 35 W, output 24VDC, 200-240VAC, DIN mounting	1,311
S8JC-Z05024C	SMPS : 50 W, output 24VDC, 200-240VAC, Bottom mounting	1,292
S8JC-Z05024CD	SMPS : 50 W, output 24VDC, 200-240VAC, DIN mounting	1,405
S8JC-Z10024C	SMPS : 100 W, output 24VDC, 200-240VAC, Bottom mounting	1,527
S8JC-Z10024CD	SMPS : 100 W, output 24VDC, 200-240VAC, DIN mounting	1,640
S8JC-Z15024C	SMPS : 150 W, output 24VDC, 200-240VAC, Bottom mounting	2,585
S8JC-Z15024CD	SMPS : 150 W, output 24VDC, 200-240VAC, DIN mounting	2,696
S8JC-Z15048C	SMPS : 150 W, output 48VDC, 200-240VAC, Bottom mounting	3,716
S8JC-Z15048CD	SMPS : 150 W, output 48VDC, 200-240VAC, DIN mounting	3,710
S8JC-Z35024C	SMPS : 350 W, output 24VDC, 200-240VAC, Bottom mounting	3,944
S8JC-Z35024CD	SMPS : 350 W, output 24VDC, 200-240VAC, DIN mounting	4,170
S8JC-ZS01524C-AC2	SMPS CE Mark - 15W, 24VDC	1,106
S8JC-ZS05024C-AC2	SMPS CE Mark - 50W, 24VDC	1,276
S8JC-ZS15024C-AC2	SMPS CE Mark - 150W, 24VDC	2,814
S8JC-ZS01524CD-AC2	SMPS CE Mark - 15W, 24VDC, DIN	1,363
S8JC-ZS03524CD-AC2	SMPS CE Mark - 35W, 24VDC, DIN	1,510
S8JC-ZS05024CD-AC2	SMPS CE Mark - 50W, 24VDC, DIN	1,476
S8JC-ZS10024C-AC2	SMPS CE Mark - 100W, 24VDC	1,509
S8JC-ZS10024CD-AC2	SMPS CE Mark - 100W, 24VDC, DIN	1,736
S8JC-ZS15024CD-AC2	SMPS CE Mark - 150W, 24VDC, DIN	2,861
S8JX-G05024C	SMPS : 50W, 24 V DC, Front Mounting Type	3,846
S8JX-G05024CD	SMPS : 50W, 24 V DC, DIN Mounting Type	2,993
S8JX-G10024C	100W, 24 V DC Power Supply Front Mounting Type	4,396
S8JX-G10024CD	100W, 24 V DC Power Supply DIN Mounting Type	4,213
S8JX-G15024C	150W, 24 V DC Power Supply Front Mounting Type	4,531
S8JX-G15024CD	150W, 24 V DC Power Supply DIN Mounting Type	5,110
S8JX-G30024C	SMPS : 300W 24V DC Front Mounting Type	15,640
S8JX-G30024CD	SMPS : 300W 24V DC Channel Mounting Type	14,793
S8JX-G60024C	SMPS : 600W 24V DC Front Mounting Type	22,777
S8VS-06024	SMPS : 60W, 24V O/P, 100-240VAC	7,272
S8VS-06024A	SMPS : 60W, 24V O/P, 100-240VAC	15,574
S8VS-09024	SMPS : 90W, 24V O/P, 100-240VAC	9,708
S8VS-12024A	SMPS : 120W, 24V O/P, 100-240VAC	20,676
S8VS-24024	SMPS : 240W, 24V O/P, 100-240VAC	19,744

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAP | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

REDUNDANT POWERSUPPLY		
Item Description	Generic Description	MRP
S8VK-C06024	Universal Input Power Supply, 60 watt, 24 VDC	3,402
S8VK-C12024	Universal Input Power Supply, 120 watt, 24 VDC	4,449
S8VK-C24024	Universal Input Power Supply, 240 watt, 24 VDC	7,808
S8VK-C48024	Universal Input Power Supply, 480 watt, 24 VDC	13,741
S8VK-G01505	Universal Input Power Supply, 15 watt, 5 VDC	3,284
S8VK-G01512	Universal Input Power Supply, 15 watt, 12 VDC	3,284
S8VK-G01524	Universal Input Power Supply, 15 watt, 24 VDC	3,284
S8VK-G03005	Universal Input Power Supply, 30 watt, 5 VDC	4,561
S8VK-G03012	Universal Input Power Supply, 30 watt, 12 VDC	4,561
S8VK-G03024	Universal Input Power Supply, 30 watt, 24 VDC	4,561
S8VK-G06012	Universal Input Power Supply, 60 watt, 12 VDC	5,474
S8VK-G06024	Universal Input Power Supply, 60 watt, 24 VDC	5,474
S8VK-G12024	Universal Input Power Supply, 120 watt, 24 VDC	7,728
S8VK-G24024	Universal Input Power Supply, 240 watt, 24 VDC	13,686
S8VK-G24048	Universal Input Power Supply, 240 watt, 48 VDC	13,686
S8VK-G48024	Universal Input Power Supply, 480 watt, 24 VDC	20,000
S8VK-G48048	Universal Input Power Supply, 480 watt, 48 VDC	20,000

3 PHASE POWERSUPPLY		
Item Description	Generic Description	MRP
S8VK-T12024	3 Phase Input Power Supply, 120 watt, 24 VDC	15,102
S8VK-T24024	3 Phase Input Power Supply, 240 watt, 24 VDC	24,760
S8VK-T48024	3 Phase Input Power Supply, 480 watt, 24 VDC	37,504
S8VK-T96024	3 Phase Input Power Supply, 960 watt, 24 VDC	50,781

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCARB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

TEMPERATURE CONTROLLERS-COST EFFECTIVE SERIES		
Item Description	Generic Description	MRP
E5CSL-QP AC100-240	48 x 48mm Temperature Controller, 1 Line display, Power Supply 100-240VAC, Resistance Thermometer Input Control Output - Voltage (To drive SSR)	1,934
E5CSL-QTC AC100-240	48 x 48mm Temperature Controller, 1 Line display, Power Supply 100-240VAC, Thermocouple Input Control Output - Voltage (To drive SSR)	1,934
E5CSL-RP AC100-240	48 x 48mm Temperature Controller, 1 Line display, Power Supply 100-240VAC, Resistance Thermometer Input Control Output - Relay	1,934
E5CSL-RTC AC100-240	48 x 48mm Temperature Controller, 1 Line display, Power Supply 100-240VAC, Thermocouple Input Control Output - Relay	1,934
E5CWL-Q1P AC100-240	48 x 48mm Temperature Controller, 2 Line display, Power Supply 100-240VAC, Resistance Thermometer Input Control Output - Voltage (To drive SSR), 1 Alarm	2,125
E5CWL-Q1TC AC100-240	48 x 48mm Temperature Controller, 2 Line display, Power Supply 100-240VAC, Thermocouple Input Control Output - Voltage (To drive SSR), 1 Alarm	2,125
E5CWL-R1P AC100-240	48 x 48mm Temperature Controller, 2 Line display, Power Supply 100-240VAC, Resistance Thermometer Input Control Output - Relay, 1 Alarm	2,125
E5CWL-R1TC AC100-240	48 x 48mm Temperature Controller, 2 Line display, Power Supply 100-240VAC, Thermocouple Input Control Output - Relay, 1 Alarm	2,125
E5CC-CX2ASM-800	Temperature controller, 48 x 48 size with Current output, AC 100 - 240V	8,961
E5CC-CX2DSM-800	Temperature controller, 48 x 48 size with Current output, 24 V AC/DC	8,961
E5CC-QX2ASM-800	Temperature controller, 48 x 48 size with Voltage output (Drive SSR), AC 100 - 240 V	6,482
E5CC-QX2DSM-800	Temperature controller, 48 x 48 size with Voltage output (Drive SSR), 24 V AC/DC	6,482
E5CC-RX2ASM-800	Temperature controller, 48 x 48 size with Relay output, AC 100 - 240 V	6,482
E5CC-RX2DSM-800	Temperature controller, 48 x 48 size with Relay output, 24 V AC/DC	6,482
E5EC-CX2ASM-800	Temperature controller, 48 x 96 size with Current output, AC 100 - 240V	12,983
E5EC-QX2ASM-800	Temperature controller, 48 x 96 size with Voltage output (Drive SSR), AC 100 - 240 V	11,290
E5EC-RX2ASM-800	Temperature controller, 48 x 96 size with Relay output, AC 100 - 240 V	11,290
E5AC-CX3ASM-800	Temperature controller, 96 x 96 size with Current output, AC 100 - 240V	15,596
E5AC-QX3ASM-800	Temperature controller, 96 x 96 size with Voltage output (Drive SSR), AC 100 - 240 V	12,009
E5AC-RX3ASM-800	Temperature controller, 96 x 96 size with Relay output, AC 100 - 240 V	12,009
E5CZ-C2MT AC100-240	Temperature Controller	13,411
E5CZ-Q2MT AC100-240 FOR INDIA	48 x 48mm Temperature Controller, Power Supply 100-240VAC, Thermocouple/Resistance Thermometer Control Output - Voltage Alarm Output - 2	9,044
E5CZ-R2MT AC100-240 FOR INDIA	48 x 48mm Temperature Controller, Power Supply 100-240VAC Thermocouple/Resistance Thermometer Control Output - Relay Alarm Output - 2	9,044
E5CZ-R2MTD AC/DC24	Temperature Controller	11,401
E5EC-QX2ASM-800	Temperature Controller	11,290
E5EC-RX2ASM-800	Temperature Controller	11,290
E5EZ-Q3T AC100-240	Temperature Controller	13,950
E5EZ-R3MT AC100-240	Temperature Controller	14,778
E5EZ-R3T AC100-240	Temperature Controller	14,389

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

CONNECTORS FOR PROXIMITY SENSORS		
Item Description	Generic Description	MRP
E2B-S08KS02-WP-B1 2M	Prox Sensor Sn : 2mm M8 Shielded DC 3 wire, 2m Prewire, PNP NO	936
E2B-S08KS02-WP-B2 2M	Prox Sensor Sn : 2mm M8 Shielded DC 3 wire, 2m Prewire, PNP NC	936
E2B-S08KS02-WP-C1 2M	Prox Sensor Sn : 2mm M8 Shielded DC 3 wire, 2m Prewire, NPN NO	936
E2B-S08KS02-MC-B1	Prox Sensor Sn : 2mm M8 Shielded DC 3 wire, Connector type, PNP NO	936
E2B-S08LS02-WP-B1 2M	Proximity Sensor	1,216
E2B-S08LS02-MC-B1	Proximity Sensor	1,216
E2B-S08KN04-WP-B1 2M	Prox Sensor Sn : 4mm M8 Unshielded DC 3 wire, 2m Prewire, PNP NO	936
E2B-S08KN04-WP-C1 2M	Prox Sensor Sn : 4mm M8 Unshielded DC 3 wire, 2m Prewire, PNP NO	936
E2B-M12KS02-WP-B1 2M	Inductive Proximity Sensor Sn=2mm Shielded, M12 PNP NO with 2m Prewired, DC 3wire	830
E2B-M12KS02-WP-B1 5M	Inductive Proximity Sensor Sn=2mm Shielded, M12 PNP NO with 5m Prewired, DC 3wire	1,310
E2B-M12KS02-WP-C1 2M	Inductive Proximity Sensor Sn=2mm Shielded, M12 NPN NO with 2m Prewired, DC 3wire	830
E2B-M12KS02-WP-C1 5M	Inductive Proximity Sensor Sn=2mm Shielded, M12 NPN NO with 5m Prewired, DC 3wire	1,310
E2B-M12KS02-M1-B1	Inductive Proximity Sensor Sn=2mm Shielded, M12 PNP NO connector type	952
E2B-M12KS02-M1-C1	Inductive Proximity Sensor Sn=2mm Shielded, M12 NPN NO connector type	952
E2B-M12KN05-WP-B1 2M	Inductive Proximity Sensor Sn=5mm Unshielded, M12 PNP NO with 2m Prewired, DC 3wire	830
E2B-M12KN05-WP-B1 5M	Inductive Proximity Sensor Sn=5mm Unshielded, M12 PNP NO with 5m Prewired, DC 3wire	1,310
E2B-M12KN05-WP-C1 2M	Inductive Proximity Sensor Sn=5mm Unshielded, M12 NPN NO with 2m Prewired, DC 3wire	830
E2B-M12KN05-WP-C1 5M	Inductive Proximity Sensor Sn=5mm Unshielded, M12 NPN NO with 5m Prewired, DC 3wire	1,310
E2B-M12KN05-M1-B1	Inductive Proximity Sensor Sn=5mm Unshielded, M12 PNP NO connector type	952
E2B-M12KN05-M1-C1	Inductive Proximity Sensor Sn=5mm Unshielded, M12 NPN NO connector type	952
E2B-M12KS04-WP-B1 2M	Prox Sensor Sn : 4mm M12 Shielded DC 3 wire, 2m Prewire, PNP NO	830
E2B-M12KS04-WP-B2 2M	Prox Sensor Sn : 4mm M12 Shielded DC 3 wire, 2m Prewire, PNP NC	830
E2B-M12KS04-WP-C1 2M	Prox Sensor Sn : 4mm M12 Shielded DC 3 wire, 2m Prewire, NPN NO	830
E2B-M12KS04-WP-C2 2M	Proximity Sensor	830
E2B-M12KS04-M1-B1	Prox Sensor Sn : 4mm M12 Shielded DC 3 wire, Connector type, PNP NO	952

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

CONNECTORS FOR PROXIMITY SENSORS		
Item Description	Generic Description	MRP
E2B-M12KS04-M1-B2	Proximity Sensor	952
E2B-M12LS04-WP-B1 2M	Proximity Sensor	1,080
E2B-M12LS04-M1-B1	Prox Sensor Sn : 4mm M12 Shielded DC 3 wire, Connector type, PNP NO	1,238
E2B-M12KN08-WP-B1 2M	Prox Sensor Sn : 8mm, M12 Unshielded DC 3 wire, 2m Prewire, PNP NO	830
E2B-M12KN08-WP-C1 2M	Prox Sensor Sn : 8mm, M12 Unshielded DC 3 wire, 2m Prewire, NPN NO	830
E2B-M12KN08-M1-B1	Prox Sensor Sn : 8mm, M12 Unshielded DC 3 wire, Connector M12, PNP NO	952
E2B-M12KN08-M1-C1	Prox Sensor Sn : 8mm, M12 Unshielded DC 3 wire, Connector M12, NPN NO	952
E2B-M18KS05-WP-B1 2M	Inductive Proximity Sensor Sn=5mm Shielded, M18 PNP NO with 2m Prewired, DC 3wire	890
E2B-M18KS05-WP-B1 5M	Inductive Proximity Sensor Sn=5mm Shielded, M18 PNP NO with 5m Prewired, DC 3wire	1,370
E2B-M18KS05-WP-C1 2M	Inductive Proximity Sensor Sn=5mm Shielded, M18 NPN NO with 2m Prewired, DC 3wire	890
E2B-M18KS05-WP-C1 5M	Inductive Proximity Sensor Sn=5mm Shielded, M18 NPN NO with 5m Prewired, DC 3wire	1,370
E2B-M18KS05-M1-B1	Inductive Proximity Sensor Sn=5mm Shielded, M18 PNP NO connector type	1,051
E2B-M18KS05-M1-C1	Inductive Proximity Sensor Sn=5mm Shielded, M18 NPN NO connector type	1,051
E2B-M18KN10-WP-B1 2M	Inductive Proximity Sensor Sn=8mm Unshielded, M18 PNP NO with 2m Prewired, DC 3wire	890
E2B-M18KN10-WP-B1 5M	Inductive Proximity Sensor Sn=8mm Unshielded, M18 PNP NO with 5m Prewired, DC 3wire	1,370
E2B-M18KN10-WP-C1 2M	Inductive Proximity Sensor Sn=8mm Unshielded, M18 NPN NO with 2m Prewired, DC 3wire	890
E2B-M18KN10-WP-C1 5M	Inductive Proximity Sensor Sn=8mm Unshielded, M18 NPN NO with 5m Prewired, DC 3wire	1,370
E2B-M18KN10-M1-B1	Inductive Proximity Sensor Sn=8mm Unshielded, M18 PNP NO connector type	1,051
E2B-M18KN10-M1-C1	Inductive Proximity Sensor Sn=8mm Unshielded, M18 NPN NO connector type	1,051
E2B-M18KS08-WP-B1 2M	Prox Sensor Sn : 8mm M18 Shielded DC 3 wire, 2m Prewire, PNP NO	890
E2B-M18KS08-WP-B2 2M	Prox Sensor Sn : 8mm M18 Shielded DC 3 wire, 2m Prewire, PNP NC	890
E2B-M18KS08-WP-C1 2M	Prox Sensor Sn : 8mm M18 Shielded DC 3 wire, 2m Prewire, NPN NO	890
E2B-M18KS08-WP-C2 2M	Prox Sensor Sn : 8mm M18 Shielded DC 3 wire, 2m Prewire, NPN NC	890
E2B-M18KS08-M1-B1	Prox Sensor Sn : 16mm M18 Unshielded DC 3 wire, Connector type, PNP NO	1,051
E2B-M18KS08-M1-C1	Prox Sensor Sn : 8mm M18 Shielded DC 3 wire, Connector type, NPN NO	1,051
E2B-M18KS08-M1-B2	Proximity Sensor	1,051
E2B-M18LS08-WP-B1 2M	Prox Sensor Sn : 8mm M18 Shielded DC 3 wire, 2m Prewire, PNP NO	1,156
E2B-M18KN16-WP-B1 2M	Prox Sensor Sn : 16mm M18 Unshielded DC 3 wire, 2m Prewire, PNP NO	890
E2B-M18KN16-WP-C1 2M	Proximity Sensor	890
E2B-M18KN16-M1-B1	Prox Sensor Sn : 16mm M18 Unshielded DC 3 wire, Connector type, PNP NO	1,051
E2B-M18KN16-M1-C1	Prox Sensor Sn : 16mm M18 Unshielded DC 3 wire, Connector type, NPN NO	1,051
E2B-M30KN20-WP-B1 2M	Prox Sensor Sn : 20mm M30 Unshielded DC 3 wire, 2m Prewire, PNP NO	1,967
E2B-M30KN20-WP-C1 2M	Prox Sensor Sn : 20mm M30 Unshielded DC 3 wire, 2m Prewire, NPN NO	1,967
E2B-M30KN20-M1-B1	Proximity Sensor	2,375
E2B-M30KS15-WP-B1 2M	Prox Sensor Sn : 15mm M30 Shielded DC 3 wire, 2m Prewire, PNP NO	1,967
E2B-M30KS15-WP-B2 2M	Prox Sensor Sn : 15mm M30 Shielded DC 3 wire, 2m Prewire, PNP NC	1,967
E2B-M30KS15-WP-C1 2M	Prox Sensor Sn : 15mm M30 Shielded DC 3 wire, 2m Prewire, NPN NO	1,967

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAC | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

CONNECTORS FOR PROXIMITY SENSORS		
Item Description	Generic Description	MRP
XS2F-M12PVC3A2M	Angular Connector	704
XS2F-M12PVC3A5M	Angular Connector	1,004
XS2F-M12PVC3A5MNLED	Angle Connector LED type, suitable for E2GN M12/M18 NPN sensor with 5m cable	1,071
XS2F-M12PVC3A5MPLED	Angle Connector LED type, suitable for E2GN M12/M18 PNP sensor with 5m cable	1,071
XS2F-M12PVC3S2M	Angular Connector	704
XS2F-D421-GD0	StrAlght Cables, 2 Conductors, DC type, 2m length.	1,259
XS2F-D422-DC0-TR	E2E Relay L-shape cable, 3 conductor, DC type, 2m length	1,183
XS2W-D421-J81-F	Connectors with standard cable, StrAlght-Staright con., 4 conductor, 10m length, UL standard.	2,977
XS3F-M421-402-A	Standard StrAlght Cable for M8 connector, 4 conductors, 2m length	827
XS3F-M421-402-R	Standard StrAlght Cable for M8 connector, Robotic type, 4 conductors, 2m length	1,431
XS3F-M421-405-A	Standard StrAlnght Cable for M8 connector, 4 conductors, 2m length	1,212
XS3F-M422-402-A	Standard L-Shape cable for M8 connector, 4 conductors, 2m length.	841
XS3F-M422-402-R	Standard L-Shape cable for M8 Connector, Robotic type, 4 conductors, 2m length.	1,465
XS3F-M422-405-A	Standard L-Shape cable for M8 connector, 4 conductors, 5m length.	1,212
XS3F-M422-405-R	Standard L-Shape cable for M8 connector, Robotic type, 4 conductors, 5m length.	1,694

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

SQUARE PROXIMITY		
Item Description	Generic Description	MRP
TL-N10ME1 2M OMS	Square Prox Sensor NPN NO	3,123
TL-N10ME2 2M OMS	Square Prox Sensor NPN NC	4,535
TL-N12MD1 2M OMS	Square Prox Sensor DC 2 wire NO	6,721
TL-N20ME1 2M OMS	Square Prox Sensor DC 3 wire NPN NO	6,186
TL-N20MY1 2M OMS	Square Prox Sensor AC 2 wire NO	8,990
TL-N5ME1 2M OMS	Square Prox Sensor DC 3 wire NPN NO	4,494
TL-N7MD1 2M OMS	Square Prox Sensor DC 2 wire, NO	7,025
TL-Q5MB1 2M	Square Prox Sensor PNP NO	3,954
TL-Q5MC1 2M OMS	Square Prox Sensor NPN NO	2,093
TL-Q5MC2 2M OMS	Square Prox Sensor NPN NC	2,114
TL-W3MB1 2M OMS	Square Prox Sensor PNP NO	3,034
TL-W3MC1 2M OMS	Square Prox Sensor NPN NO	2,966
TL-W5E1 2M	Square Prox Sensor NPN NO	6,228
TL-W5F1 2M	Square Prox Sensor PNP NO	6,360
TL-W5MB1 2M OMS	Square Prox Sensor PNP NO	2,618
TL-W5MC1 2M OMS	Square Prox Sensor NPN NO	2,548
TL-W5MD1 2M OMS	Square Prox Sensor DC 2 wire NO	4,794

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

OMRON - PHOTOSENSOR		
Item Description	Generic Description	MRP
E3FA-DN11 2M OMS	Diffuse, Cable, NPN, 100 mm	4,647
E3FA-DN12 2M OMS	Diffuse, Cable, NPN, 300 mm	4,647
E3FA-DN13 2M OMS	Diffuse, Cable, NPN, 1 Mtr	4,647
E3FA-DP11 2M OMS	Diffuse, Cable, PNP, 100 mm	4,647
E3FA-DP12 2M OMS	Diffuse, Cable, PNP, 300 mm	4,647
E3FA-DP13 2M OMS	Diffuse, Cable, PNP, 1 Mtr	4,647
E3FA-DP21 OMS	Diffuse, Connector, PNP, 100 mm	4,647
E3FA-DP22 OMS	Diffuse, Connector, PNP, 300 mm	4,647
E3FA-DP23 OMS	Diffuse, Connector, PNP, 1 Mtr	4,647
E3FA-RN11 2M OMS	Retro - Reflective, Cable, NPN, 4 Mtr	5,382
E3FA-RP11 2M OMS	Retro - Reflective, Cable, PNP, 4 Mtr	5,382
E3FA-RP21 OMS	Retro - Reflective, Connector, PNP, 4 Mtr	5,382
E3FA-TN11 2M OMS	Through Beam, Cable, NPN, 20 Mtrs	7,152
E3FA-TP11 2M OMS	Through Beam, Cable, PNP, 20 Mtrs	7,152
E3FA-TP21 OMS	Through Beam, Connector, PNP, 20 Mtrs	7,152
E3JK-5DM2-N 2M OMS	Photosensor Sn : 5m, Receiver unit, Dark ON	8,202
E3JK-5L-N 2M OMS	Photosensor Sn : 5m, Emitter unit	4,416
E3JK-5M1-N 2M OMS	Photosensor Sn : 5m, Thru-beam type, Light-ON, relay output	8,874
E3JK-5M2-N 2M OMS	Photosensor Sn : 5m, Thru-beam type, Dark-ON, relay output	8,816
E3JK-DS30M1 2M OMS	Photosensor Sn : 0.3m, diffused type, Light-ON, relay output	7,370
E3JK-DS30M2 2M OMS	Photosensor Sn : 0.3m, diffused type, Dark-ON, relay output	7,370
E3JK-R2M1 2M OMS	Photosensor Sn : 2.5m, retroreflective type, Light-ON, relay output	7,370
E3JK-R2M2 2M OMS	Photosensor Sn : 2.5m, retroreflective type, Dark-ON, relay output	7,804
E3JK-R4M1 2M OMS	Photosensor Sn : 4m, retroreflective type, Light-ON, relay output	7,370
E3JM-10M4-G-N OMS	Photosensor Sn : 10m, thru-beam type, relay output, Light ON/Dark ON selectable	7,708
E3JM-10M4-N OMS	Photosensor Sn : 10m, thru-beam type, relay output, Light ON/Dark ON selectable	10,660
E3JM-DS70M4-G OMS	Photosensor Sn : 0.7m, diffuse type, relay output, Light ON/Dark ON selectable	6,004
E3JM-DS70M4T-G OMS	Photosensor Sn : 0.7m, diffuse type, relay output, timer function, Light ON/Dark ON selectable	5,709
E3JM-R4M4-G OMS	Photosensor Sn : 4m, retroreflective type, relay output, Light ON/Dark ON selectable	5,700
E3JM-R4M4T-G OMS	Photosensor Sn : 4m, retroreflective type, relay output, timer function, Light ON/Dark ON selectable	6,180
E3T-SR44-S 2M	Photosensor Retroreflective type, Dark ON, PNP output	
E3T-ST11 2M	Photosensor Sn : 1m, thru-beam, Light ON, NPN output	8,333
E3T-ST12 2M	Photosensor Sn : 1m, thru-beam, Dark ON, NPN output	8,333
E3T-ST13 2M	Photosensor Sn : 1m, thru-beam, Light ON, PNP output	9,829
E3T-ST14 2M	Photosensor Sn : 1m, thru-beam, Dark ON, PNP output	8,583
E3Z-D61 2M OMS	Photosensor Sn : 5-100mm, diffused, 2m prewire, NPN output	6,132
E3Z-D62 2M OMS	Photoelectric Sensor	7,038
E3Z-D81 2M OMS	Photosensor Sn : 5-100mm, diffused, 2m prewire, PNP output	6,619
E3Z-D82 2M OMS	Photosensor Sn : 1m, diffused, 5m prewire, PNP output	6,821
E3Z-D86 OMS	Photosensor Sn : 5-100mm, diffused, Connector, PNP output	9,647
E3Z-D87 OMS	Photosensor Sn : 1m, diffused, Connector, PNP output	9,520
E3Z-G61 2M OMS	Photoelectric Sensor	7,569
E3Z-G61-M3J OMS	Photosensor grove connect NPN	10,910
E3Z-G81 2M OMS	Photoelectric Sensor	8,877
E3Z-L61 2M OMS	Photosensor Sn : 60-120mm, diffused, 2m prewire, NPN output	12,885
E3Z-LL86 OMS	Photoelectric Sensor	29,664
E3Z-LS61 2M OMS	Photosensor Sn : 60-120mm diffu prewire NPN	9,341
E3Z-LS66 OMS	Photoelectric Sensor	10,459
E3Z-LS81 2M OMS	Photosensor Sn : 60-120mm diffu prewire PNP	7,328
E3Z-LS83 2M OMS	Photosensor Sn : 60-120mm diffu prewire PNP	11,304
E3Z-LS86 OMS	Photosensor Sn : 60-120mm diffu connect PNP	9,178
E3Z-LT61 2M OMS	Photoelectric Sensor	25,171

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCARB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

OMRON - TIMERS		
Item Description	Generic Description	MRP
H3DKZ-A1 AC/DC24-240	DIN rail timer : on delay, 0.1sec-1200h, 1 c/o, 24-240VAC/DC	880
H3DKZ-A1A DC12	DIN rail timer : on delay, 0.1sec-1200h, 1 c/o, 12VDC	1,145
H3DKZ-A2 AC/DC24-240	DIN rail timer : on delay, 0.1sec-1200h, 2 c/o, 24-240VAC/DC	1,015
H3DKZ-A2A DC12	DIN rail timer : on delay, 0.1sec-1200h, 2 c/o, 12VDC	1,192
H3DKZ-F AC/DC24-240	DIN rail timer : Flicker on/off, 0.1sec-1200h, 1 c/o, 24-240VAC/DC	1,127
H3DKZ-FA DC12	DIN rail timer : Flicker on/off, 0.1sec-1200h, 1 c/o, 12VDC	1,510
H3DKZ-G AC/DC24-240	DIN rail timer : Star-Delta, 24-240VAC/DC	1,127
H3DKZ-GE AC240-440	DIN rail timer : Star-Delta, 240-440VAC	2,337
H3DKZ-HCL AC100-120V	DIN rail timer : Power off delay, 1 to 120sec, 1c/o,100-120VAC	1,931
H3DKZ-HDL AC200-240V	DIN rail timer : Power off delay, 1 to 120sec,1c/o, 200-240VAC	1,658
K8AB - MEASURING & MONITORING RELAY		
Item Description	Generic Description	MRP
K8DS-PH1	3 ? 3 wire, 1 C/O ,Phase sequence & phase loss monitoring relay, 200-500VAC	1,448
K8AK-PH1	3 ? 3 wire, 2 C/O , Phase sequence & phase loss monitoring relay, 200-500VAC	1,753
K8AK-PM2	M&M RELAY : 3Ph LOSS, 380/480VAC	10,199
K8AB-PH1-L	3 ? 3 wire, Phase sequence & phase loss monitoring relay, 200-500VAC	8,257
K8AB-AS2 200/230VAC	M&M RELAY : 1Ph CURRENT, 200/230VAC	8,997
K8AB-AS3 200/230VAC	M&M RELAY : 1Ph CURRENT, 200/230VAC	9,400
K8AB-PA2 380/480VAC	M&M RELAY : 200/500VAC	11,490
K8AB-PM2 380/480VAC	M&M RELAY : 3Ph LOSS, 380/480VAC	11,317
K8AB-PW2 380/480VAC	M&M RELAY : 380/480VAC	17,653
K8AB-VW2 200/230VAC	M&M RELAY : 200/230VAC	11,710
K8AB-VW3 200/230VAC	M&M RELAY : 200/230VAC	20,341
BASIC LIMIT SWITCHES		
Item Description	Generic Description	MRP
D4MC-1000	Enclosed Switch : Hingelever	1,113
D4MC-2000	Enclosed Switch : Hingerolllever	1,333
D4MC-2020	EnclSwitch : shortHingerolllever	1,147
D4MC-5000	EnclSwitch : Panelmountplung	1,660
D4MC-5020	EnclSwitch : Panelmountroller	1,677
D4MC-5040	EnclSwitch : Panelm'tcrossroll	1,541
D4N-1120	Resin Roller Lever Limit Switch, Snap Action 1NO/1NC	1,716
WLCA12 WITH PARTS	Limit Switch : Adjustable roller lever, STD	2,746
WLCA12-2 WITH PARTS	Limit Switch : Adjustable roller lever, Overtravel, 90°	3,545
WLCA12-2LD	Limit Switch : Adjustable roller lever, Overtravel, 90°, LED	6,110
WLCA12-2N WITH PARTS	Limit Switch : Adjustable roller lever : Overtravel, 90°	4,128
WLCA2-2 WITH PARTS	Limit Switch : Roller lever : Overtravel, 90°	4,183
WLNJ WITH PARTS	Limit Switch : Flexible rod, coil spring	2,890
WLNJ-2 WITH PARTS	Limit Switch : Flexible rod, coil spring, resin rod	3,307
WLNJ-2LD	Limit Switch : Flexible rod, coil spring, resin rod, LED	6,046
WLNJ-30	Limit Switch : Flexible rod, coil spring, multi-wire	4,205
WLNJ-30 WITH PARTS	Limit Switch : Flexible rod, coil spring, multi-wire, LED	4,741
WLNJ-30LD	Limit Switch : Flexible rod, LED	5,702
WLNJ-G	Limit Switch : Flexible rod, coil spring, Hermetically sealed	4,366
Z-15GK55-B	Basic Switch:15A, 0.5mm Contactgap, Short spring plunger, drip proof, Screw terminal	902
Z-15GM22-B	Basic Switch:15A, 0.5mm Contactgap, Reverse short hinge roller lever, Screw terminal	648
Z-15GQ21-B	Basic Switch:15A, 0.5mm Contactgap, Panel mount cross roller plunger, screw terminal	871
Z-15GS-B	Basic Switch:15A, 0.5mm Contactgap, Slim spring plunger, Screw terminal	465
Z-15GW2280-B	Basic Switch:15A, 0.5mm Contactgap, Unidirectional short hinge roller lever, Screw terminal	697
Z-15GW22-B	Basic Switch:15A, 0.5mm Contactgap, Short hinge roller lever, Screw terminal	936

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCARB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

MICRO PLC - ZEN		
Item Description	Generic Description	MRP
ZEN-10C1DR-D-V2	10 I/O, RLY O/P, DC CPU UNIT : PLC	11,054
ZEN-10C2DR-D-V2	10 I/O, RLY O/P, DC CPU UNIT : PLC	12,692
ZE-N-2 WITH PARTS	Enclosed Switch : Sealed plunger	1,961
ZEN-20C1AR-A-V2	20 I/O, RLY O/P, AC, CPU UNIT : PLC	20,050
ZEN-20C1DR-D-V2	20 I/O, RLY O/P, DC, CPU UNIT : PLC	16,387
ZEN-8E1AR	4 I/O, RLY O/P, DC, EXP UNIT : PLC	9,093
ZEN-8E1DR	8 I/O EXP UNIT : PLC	7,385
ZEN-BAT01	BATTERY FOR ZEN	3,901
ZEN-CIF01	PROGRAMMING CABLE FOR ZEN	7,527
CP1E - PROGRAMMING LOGIC CONTROLLER		
Item Description	Generic Description	MRP
CP1E-E10DR-A	6 I/P, 4 O/P, Relay type, 100-240VAC power supply	7,749
CP1E-E10DR-D	6 I/P, 4 O/P, Relay type, 24VDC power supply	7,749
CP1E-E10DT1-A	6 I/P, 4 O/P, Transistor Sourcing type, 100-240VAC power supply	7,749
CP1E-E10DT1-D	6 I/P, 4 O/P, Transistor Sourcing type, 24VDC power supply	7,749
CP1E-E10DT-A	6 I/P, 4 O/P, Transistor Sinking type, 100-240VAC power supply	7,749
CP1E-E10DT-D	6 I/P, 4 O/P, Transistor Sinking type, 24VDC power supply	7,749
CP1E-E14DR-A	8 I/P, 6 O/P, Relay type, 100-240VAC power supply	10,079
CP1E-E20DR-A	12 I/P, 8 O/P, Relay type, 100-240VAC power supply	25,871
CP1E-E30DR-A	18 I/P, 12 O/P, Relay type, 100-240VAC power supply	35,502
CP1E-E40DR-A	24 I/P, 16 O/P, Relay type, 100-240VAC power supply	42,611
CP1E-N14DR-A	8 I/P, 6 O/P, Relay type, 100-240VAC power supply	10,868
CP1E-N14DR-D	8 I/P, 6 O/P, Relay type, 24VDC power supply	10,868
CP1E-N14DT1-A	8 I/P, 6 O/P, Transistor Sourcing type, 100-240VAC power supply	10,868
CP1E-N14DT1-D	8 I/P, 6 O/P, Transistor Sourcing type, 24VDC power supply	10,868
CP1E-N14DT-A	8 I/P, 6 O/P, Transistor Sinking type, 100-240VAC power supply	18,058
CP1E-N14DT-D	8 I/P, 6 O/P, Transistor Sinking type, 24VDC power supply	10,868
CP1E-N20DR-A	12 I/P, 8 O/P, Relay type, 100-240VAC power supply	34,234
CP1E-N20DR-D	12 I/P, 8 O/P, Relay type, 24VDC power supply	34,234
CP1E-N20DT1-A	12 I/P, 8 O/P, Transistor Sourcing type, 100-240VAC power supply	34,234
CP1E-N20DT1-D	12 I/P, 8 O/P, Transistor Sourcing type, 24VDC power supply	34,234
CP1E-N20DT-A	12 I/P, 8 O/P, Transistor Sinking type, 100-240VAC power supply	34,234
CP1E-N20DT-D	12 I/P, 8 O/P, Transistor Sinking type, 24VDC power supply	34,234
CP1E-N30DR-A	18 I/P, 12 O/P, Relay type, 100-240VAC power supply	43,890
CP1E-N30DR-D	18 I/P, 12 O/P, Relay type, 24VDC power supply	43,890
CP1E-N30DT1-A	18 I/P, 12 O/P, Transistor Sourcing type, 100-240VAC power supply	43,890
CP1E-N30DT1-D	18 I/P, 12 O/P, Transistor Sourcing type, 24VDC power supply	43,890
CP1E-N30DT-A	18 I/P, 12 O/P, Transistor Sinking type, 100-240VAC power supply	43,890
CP1E-N30DT-D	18 I/P, 12 O/P, Transistor Sinking type, 24VDC power supply	43,890
CP1E-N40DR-A	24 I/P, 16 O/P, Relay type, 100-240VAC power supply	50,951
CP1E-N40DR-D	24 I/P, 16 O/P, Relay type, 24VDC power supply	50,973
CP1E-N40DT1-A	24 I/P, 16 O/P, Transistor Sourcing type, 100-240VAC power supply	50,973
CP1E-N40DT1-D	24 I/P, 16 O/P, Transistor Sourcing type, 24VDC power supply	50,973
CP1E-N40DT-A	24 I/P, 16 O/P, Transistor Sinking type, 100-240VAC power supply	50,973
CP1E-N40DT-D	24 I/P, 16 O/P, Transistor Sinking type, 24VDC power supply	50,973
CP1E-N60DR-A	36 I/P, 24 O/P, Relay type, 100-240VAC power supply	57,836
CP1E-N60DR-D	36 I/P, 24 O/P, Relay type, 24VDC power supply	57,836
CP1E-N60DT1-A	36 I/P, 24 O/P, Transistor Sourcing type, 100-240VAC power supply	57,836
CP1E-N60DT1-D	36 I/P, 24 O/P, Transistor Sourcing type, 24VDC power supply	57,836
CP1E-N60DT-A	36 I/P, 24 O/P, Transistor Sinking type, 100-240VAC power supply	57,836
CP1E-N60DT-D	36 I/P, 24 O/P, Transistor Sinking type, 24VDC power supply	57,836
CP1E-NA20DT1-D	12 I/P (Built-in 2 Analogue), 8 O/P (Built-in 1 Analogue), Transistor Sourcing type, 24VDC power supply	21,354

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCARB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

PROGRAMMABLE TERMINALS - HMI		
Item Description	Generic Description	MRP
NB5Q-TW00B	5.6", Color, QVGA TFT LCD, 320 x 234 dots, Black case	37,906
NB7W-TW00B	7", Color, wide TFT LCD, 800 x 480 dots, Black case	37,078
NRT-C	Thumb Wheel Switch	517
NS10-TV00B-V2	HMI: 10 inch, TFT	294,222
NS12-TS01B-V2	HMI: 12inch, TFT, ETHERNET, colour	382,336
NS5-MQ10B-V2	HMI: 5inch, STN, MONOCHROME	
NS5-SQ10B-V2	HMI: 5inch, STN, colour	144,407
NS8-TV00B-V2	HMI: 8inch, TFT, colour	215,199
NS8-TV01B-V2	HMI: 8inch, TFT, ETHERNET, colour	246,022
61F - BASIC LEVEL CONTROLLER		
Item Description	Generic Description	MRP
61F-GP-N AC100	Level Controller : 100VAC	5,782
61F-GP-N AC110	Level Controller : 110VAC	6,442
61F-GP-N AC200	Level Controller : 200VAC	5,784
61F-GP-N AC220	Level Controller : 220VAC	4,681
61F-GP-N2 110VAC	Level Controller : 110VAC	6,820
61F-GP-N2 220VAC	Level Controller : 220VAC	7,128
61F-GP-N2 24VAC	Level Controller : 24VAC	6,565
61F-GP-N8 110VAC	Level Controller : 110VAC	6,404
61F-GP-N8 220VAC	Level Controller : 220VAC	3,554
61F-GP-NH AC240	Level Controller : 240VAC	7,625
61F-GP-NL 2KM AC100	Level Controller : 100VAC	9,221

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE

OMRON - ROTARY ENCODER		
Item Description	Generic Description	MRP
E6B2-CWZ1X 1000P/R 2M OMS	Rotary Encoder Sensor Unit	18,501
E6B2-CWZ1X 2000P/R 2M OMS	Rotary Incremental encoder 40mm dia., 5VDC, Line drive output, 2000P/R 2m cable	18,964
E6B2-CWZ5B 360P/R 0.5M OMS	Rotary Incremental encoder 25mm dia., 12-24VDC, PNP open collector o/p 360P/R 0.5m cable	19,745
E6B2-CWZ6C 1000P/R 0.5M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 1000P/R 0.5m cable	17,400
E6B2-CWZ6C 1000P/R 2M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 1000P/R 2m cable	16,747
E6B2-CWZ6C 100P/R 2M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 100P/R 2m cable	15,121
E6B2-CWZ6C 2000P/R 2M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 2000P/R 0.5m cable	16,759
E6B2-CWZ6C 20P/R 2M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 20P/R 2m cable	16,179
E6B2-CWZ6C 360P/R 0.5M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 360P/R 0.5m cable	15,585
E6B2-CWZ6C 360P/R 2M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 360P/R 2m cable	14,733
E6B2-CWZ6C 500P/R 2M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 500P/R 2m cable	14,709
E6B2-CWZ6C 600P/R 2M OMS	Rotary Incremental encoder 25mm dia., 5-24VDC, NPN open collector o/p 600P/R 2m cable	14,778
E6C2-CWZ6C 1000P/R 2M OMS	Rotary Incremental encoder 50mm dia, Standard Model, 5-24VDC, NPN Opend collector output, 1000P/R 2m cable	19,477
E6C3-AG5B 1024P/R 2M	Slim Encoder 50mm dia. 12-24VDC, PNP Opencollector output, Grey code, 1024P/R, Prewire 2m	35,180
E6C3-AG5B 360P/R 2M	Slim Encoder 50mm dia. 12-24VDC, PNP Opencollector output, Grey code, 360P/R, Prewire 2m	35,180
E6C3-AG5C 360P/R 2M	Slim Encoder 50mm dia. 12-24VDC, NPN Opencollector output, Grey code, 360P/R, Prewire 2m	35,180
CONNECTWELL - RELAY CARDS (Plugin/Socket Type)		
Item Description	Generic Description	MRP
IMRE1SS124OM	IMRE1SS1/24/OM - 1CO 1CH RLY MOD 24DC OMRON RAIL MT	166
IMRE1SS224OM	IMRE1SS2/24/OM - 1CO 2CH RLY MOD 24DC OMRON RAIL MT	304
IMRE1SS424OM	IMRE1SS4/24/OM - 1CO 4CH RLY MOD 24DC OMRON RAIL MT	562
IMRE1SS824OM	IMRE1SS8/24/OM - 1CO 8CH RLY MOD 24DC OMRON RAIL MT	1,070
IMRE1SS1624OM	IMRE1SS16/24/OM - 1CO 16CH RLY MOD 24DC OMRON RAIL MT	2,135
IMRE2SS124OM	IMRE2SS1/24/OM -2CO 1CH RLY MOD 24DC BASE OMRON RAIL MT	231
IMRE2SS224OM	IMRE2SS2/24/OM -2CO 2CH RLY MOD 24DC BASE OMRON RAIL MT	433
IMRE2SS424OM	IMRE2SS4/24/OM -2CO 4CH RLY MOD 24DC BASE OMRON RAIL MT	821
IMRE2SS824OM	IMRE2SS8/24/OM -2CO 8CH RLY MOD 24DC BASE OMRON RAIL MT	1,410
IMRE2SS1624OM	IMRE2SS16/24/OM -2CO 16CH RLY MOD 24DC BASE OMRON RAIL MT	2,820

NOTE:-

- 1) Relay Cards also available in Soldered type
- 2) Relay Cards also available in 12 VDC, 110 VAC & 230 VAC
- 3) Rates are subject to change depending upon Product Code
- 4) Relay Cards are of Connectwell Make having Omron relays.

LARGEST CHANNEL PARTNER IN INDIA FOR INDUSTRIAL ELECTRICAL PRODUCTS

SIEMENS | FINOLEX | BONFIGLIOLI | POLYCAB | LEGRAND | HINDUSTAN | PANASONIC | OMRON | CASTROL | PHILIPS | UNISTAR | EMERSON | CONNECTWELL | SKF | CONTITECH

DEDICATED TO GROWTH ★ COMMITTED TO SERVICE