



# SALZER MRP LIST

## Relays (8536)


### M SERIES - MSP (Equivalent to MY)

MSP	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>Type MSP (DC/AC) with LED indication - 5 Amps Resistive For 2 Pole / 3 Pole / 4 Pole</p>	MSP 2P 12	12V DC	20	173
	MSP 2P 24	24V DC	20	173
	MSP 2P 48	48V DC	20	195
	MSP 2P 110	110V DC	20	184
	MSP 2P 12A	12V AC	20	192
	MSP 2P 24A	24V AC	20	191
	MSP 2P 110A	110V AC	20	212
	MSP 2P 240A	240V AC	20	201
	MSP 3P 12	12V DC	20	181
	MSP 3P 24	24V DC	20	181
	MSP 3P 110	110V DC	20	194
	MSP 3P 24A	24V AC	20	220
	MSP 3P 110A	110V AC	20	229
	MSP 3P 240A	240V AC	20	238
	MSP 4P 12	12V DC	20	183
	MSP 4P 24	24V DC	20	184
	MSP 4P 48	48V DC	20	200
	MSP 4P 110	110V DC	20	200
	MSP 4P 12A	12V AC	20	232
	MSP 4P 24A	24V AC	20	212
MSP 4P 110A	110V AC	20	228	
MSP 4P 240A	240V AC	20	232	


MSP - Test Button	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>2 Pole - 12 Amps 4 Pole - 7 Amps @ 277 V AC / 30 V DC with Flag &amp; LED-UL Marked</p>	MSP2P012D12TNE	12V DC	20	203
	MSP2P024D12TNE	24V DC	20	203
	MSP2P110D12TNE	110V DC	20	214
	MSP2P012A12TNE	12V AC	20	222
	MSP2P024A12TNE	24V AC	20	221
	MSP2P110A12TNE	110V AC	20	242
	MSP2P240A12TNE	240V AC	20	231
	MSP4P012D07TNE	12V DC	20	233
	MSP4P024D07TNE	24V DC	20	234
	MSP4P110D07TNE	110V DC	20	250
	MSP4P012A07TNE	12V AC	20	282
	MSP4P024A07TNE	24V AC	20	262
	MSP4P110A07TNE	110V AC	20	278
	MSP4P240A07TNE	240V AC	20	282.00

# Relays (8536)


## M SERIES - MKG

MKG	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>MKG (DC/AC) with LED indication - 5 Amps Resistive at 24VDC/240 VAC Plug in Enclosed Version</p>	MKG 2P 06	6V DC	10	239
	MKG 2P 12	12V DC	10	212
	MKG 2P 18	18V DC	10	252
	MKG 2P 24	24V DC	10	215
	MKG 2P 30	30V DC	10	284
	MKG 2P 48	48V DC	10	230
	MKG 2P 110	110V DC	10	256
	MKG 2P 220	220V DC	10	288
	MKG 3P 12	12V DC	10	268
	MKG 3P 18	18V DC	10	270
	MKG 3P 24	24V DC	10	270
	MKG 3P 30	30V DC	10	332
	MKG 3P 48	48V DC	10	321
	MKG 3P 110	110V DC	10	311
	MKG 3P 220	220V DC	10	418
	MKG 2P 06A	06V AC	10	235
	MKG 2P 12A	12V AC	10	219
	MKG 2P 24A	24V AC	10	213
	MKG 2P 110A	110V AC	10	215
	MKG 2P 240A	240V AC	10	275
MKG 3P 12A	12V AC	10	262	
MKG 3P 24A	24V AC	10	256	
MKG 3P 110A	110V AC	10	261	
MKG 3P 240A	240V AC	10	317	


## M SERIES - MKP

MKP	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>Type MKP (DC/AC) with LED indication - 10 Amps Resistive at 24V DC/240V AC Plug in enclosed Version</p>	MKP 2P 06	06V DC	10	244
	MKP 2P 12	12V DC	10	240
	MKP 2P 24	24V DC	10	241
	MKP 2P 48	48V DC	10	267
	MKP 2P 110	110V DC	10	268
	MKP 2P 220	220V DC	10	357
	MKP 3P 12	12V DC	10	297
	MKP 3P 24	24V DC	10	297
	MKP 3P 48	48V DC	10	331
	MKP 3P 110	110V DC	10	348
	MKP 3P 220	220V DC	10	474
	MKP 2P 06A	06V AC	10	260
	MKP 2P 12A	12V AC	10	254
	MKP 2P 24A	24V AC	10	254
	MKP 2P 110A	110V AC	10	262
	MKP 2P 240A	240V AC	10	342
	MKP 3P 12A	12V AC	10	335
	MKP 3P 24A	24V AC	10	335
	MKP 3P 110A	110V AC	10	329
	MKP 3P 240A	240V AC	10	378


## Sockets for MK / MSP Series (8538)

SOCKETS	Cat No.	Coil Volts	Min. Pack	M.R.P. (₹) Per Unit
	MK 08C	8 Pin for 2 C/O & Closed Terminals for "MKG/MKP" Relays	20	60
	MK 11C	11 Pin for 3 C/O & Closed Terminals for "MKG/MKP" Relays	20	86
	MSP 08C	Closed Terminals Socket for MSP - 2 Pole	20	90
	MSP 14C	Closed Terminals Socket for MSP - 4 Pole	20	118
	MSP 14P	PCP Socket for MSP - 4 Pole	50	44


## M SERIES - MIC

MIC	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>MIC (DC/AC) - 12 Amps Resistive at 24V DC/240V AC enclosed solder / PCB Version</p>	MIC 2P 12	12V DC	20	190
	MIC 2P 24	24V DC	20	196
	MIC 3P 12	12V DC	20	220
	MIC 3P 24	24V DC	20	226


## PCB Series - PCB

	Cat No.	Coil Volts	Min. Pack	M.R.P. (₹) Per Unit
 <p>TYPE PCB (5 AMPS) Enclosed version for PCB</p>	PCB 2P 12	12V DC	10	190
	PCB 2P 24	24V DC	10	198
	PCB 2P 240A	240V AC	10	373
	PCB 3P 12	12V DC	10	268
	PCB 3P 24	24V DC	10	275
	PCB 3P 240A	240V AC	10	416

## M SERIES - MSC


MSC	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>MSC (DC/AC) - 5 Amps Resistive at 24VDC/240 VAC Enclosed Solder Version</p>	MSC 1P 12	12V DC	10	118
	MSC 1P 18	18V DC	10	128
	MSC 1P 24	24V DC	10	122
	MSC 2P 06	06V DC	10	180
	MSC 2P 12	12V DC	10	168
	MSC 2P 18	18V DC	10	178
	MSC 2P 24	24V DC	10	173
	MSC 2P 48	48V DC	10	209
	MSC 3P 06	06V DC	10	235
	MSC 3P 12	12V DC	10	205
	MSC 3P 18	18V DC	10	213
	MSC 3P 24	24V DC	10	208
	MSC 3P 48	48V DC	10	282
	MSC 3P 110	110V DC	10	267
	MSC 2P 240A	240V AC	10	261
MSC 3P 240A	240V AC	10	288	

## H SERIES - HSC


HSC	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>HSC (DC/AC) - 10 Amps Resistive at 24V DC/240V AC Enclosed Solder Version</p>	HSC 1P 12	12V DC	10	166
	HSC 1P 18	18V DC	10	188
	HSC 1P 24	24V DC	10	175
	HSC 2P 12	12V DC	10	228
	HSC 2P 18	18V DC	10	270
	HSC 2P 24	24V DC	10	237
	HSC 3P 12	12V DC	10	286
	HSC 3P 18	18V DC	10	256
	HSC 3P 24	24V DC	10	296
	HSC 2P 240A	240V AC	10	363
	HSC 3P 240A	240V AC	10	410

# Relays


## H SERIES - HSR


HSR	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>HSR (DC/AC) - 16 Amps Resistive at 24V DC/240V AC Enclosed Solder Version</p>	HSR 1P 12	12V DC	10	177
	HSR 1P 18	18V DC	10	195
	HSR 1P 24	24V DC	10	198
	HSR 2P 12	12V DC	10	252
	HSR 2P 18	18V DC	10	282
	HSR 2P 24	24V DC	10	260
	HSR 3P 12	12V DC	10	326
	HSR 3P 18	18V DC	10	380
	HSR 3P 24	24V DC	10	348
	HSR 2P 240A	240V AC	10	452
	HSR 3P 240A	240V AC	10	482


## PRS SERIES - Power Relays (solderable)

PRS	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>PRS 40 (DC/AC) - 40 Amps Resistive at 24V DC/240V AC / Enclosed Solder version</p>	PRS 40 1P 24 MP	24V DC	4	280


## PRC SERIES - Power Relays

PRC	Cat No.	Coil Volts	Min Pack	M.R.P. (₹) Per Unit
 <p>PRC 30 (DC/AC) - 30 Amps Resistive at 24V DC/240V AC / Enclosed</p>	PRC 30 1P 12	12V DC	4	287
	PRC 30 1P 24	24V DC	4	290
	PRC 30 1P 12NO	12V DC	4	250
	PRC 30 2P 12	12V DC	4	388
	PRC 30 2P 24	24V DC	4	391
	PRC 30 2P 12NO	12V DC	4	355
	PRC 30 3P 12	12V DC	4	514
	PRC 30 3P 24	24V DC	4	517
	PRC 30 3P 12NO	12V DC	4	492
	PRC 30 3P 24 NO	24V DC	4	495
	PRC 30 1P 240A	240V AC	4	314
	PRC 30 2P 240A	240V AC	4	416
	PRC 30 3P 240A	240V AC	4	531


 <p>PRC 40 (DC/AC) - 40 Amps Resistive at 24V DC/240V AC / Enclosed</p>	PRC 40 1P 12	12V DC	4	313
	PRC 40 1P 24	24V DC	4	321
	PRC 40 1P 24A	24V AC	4	378
	PRC 40 1P 240A	240V AC	4	343

 <p>PRC 60 (DC/AC) - 60 Amps Resistive at 24V DC/240V AC / Enclosed</p> <p>PRC 80 (DC/AC)-80 Amps Resistive at 24V DC/240V AC / Enclosed</p> <p>PRC 100 (DC/AC) - 100 Amps Resistive at 24V DC/240V AC / Enclosed</p>	PRC 60 1P 12	12V DC	4	354
	PRC 60 1P 24			364
	PRC 60 1P 240A	240V AC	4	433
	PRC 80 1P 12	12V DC	3	455
	PRC 80 1P 24			468
	PRC 80 1P 240A	240V AC	3	612
	PRC 100 1P 12	12V DC	3	655
	PRC 100 1P 24			683
	PRC 100 1P 240A	240V AC	3	703


# Relay Modules (8536)




## 1 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	1 CO, 24VDC with OMRON Relay	2	RMS021P24	375
	1 CO, 24VDC with OMRON Relay	4	RMS041P24	690
	1 CO, 24VDC with OMRON Relay	8	RMS081P24	1160


## 2 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	2 CO, 24VDC with OMRON Relay	2	RMS022P24	495
	2 CO, 24VDC with OMRON Relay	4	RMS042P24	865
	2 CO, 24VDC with OMRON Relay	8	RMS082P24	1665

## 1 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	1 CO, 230VAC with OMRON Relay	2	RMS021P230AC	760
	1 CO, 230VAC with OMRON Relay	4	RMS041P230AC	1470
	1 CO, 230VAC with OMRON Relay	8	RMS081P230AC	2870

## 2 C/O RELAY MODULE

	Description	Modules	Cat No.	MRP (₹) Per Unit
	2 CO, 230VAC with OMRON Relay	2	RMS022P230AC	865
	2 CO, 230VAC with OMRON Relay	4	RMS042P230AC	1610
	2 CO, 230VAC with OMRON Relay	8	RMS082P230AC	3215

\* Other Coil Voltages offered on request



Other Products

**Contactors & Overload Relays**

Standard Contactors 9A to 105 Amps  
Mini Contactor from 7A to 16 Amps & Control Relay 16 Amps. Bimetallic Over Load Relay from 0.28-112 Amps, with a wide range of Accessories



**Motor Protection Circuit Breaker (MPCB)**

In 32 & 63 Amps, Motor Disconnect function, Branch circuit protection, Motor control & Overload protection Relay range upto 63 Amps with UL listing



**MCB'S & Distribution Boards**

MCB's are offered in various current ratings from 0.5 to 63 Amps. Enclosures, Plug & Sockets, Single Phase DB, Three Phase DB, Vertical DB, Phase Selector DB, 7 & 8 Segment DB's etc.



**Toroidal Transformers / Current Transformers**

Single Phase 15VA - 30KVA & Three Phase 1KVA - 120KVA. CT's : Accuracy Class of 0.2 to 3 with burden of 5 to 30VA, Primary Current upto 4000A & Secondary of 5A / 1A



**Toroidal Inductors & Chokes**

Toroidal Choke : 40 KVA to 250 KVA, Upto 300 Amps  
Power Chokes & Inductors:  
Range : 0.1 to 100 mH, Upto 20 Amps



**Transformers & Chokes / Inductors / Reactors**

- Dry type Magnetics - VPI, AN - AF - Water Cooling etc.
- Transformers Range: 1KVA to 1MVA, 1Phase and 3Phase
- **Chokes / Inductors / Reactors Range:** 1KVAr to 1MVA 1Phase and 3 Phase



**Sensors**

Speed Sensors : Active/Passive Sensors with Speed range upto 30,000 rpm in Square/Sine wave output.  
Position Sensors : Active/Passive Sensors with Rotation angle 0-90/0-180 & 0-360 with Analogue/Resistive output signal  
Temperature Sensors : NTC/PTC types with Resistive output signal  
Pressure Sensors : Absolute/Relative pressure from 0 to 1000 bar with Ratiometric Voltage/current output signal, with different ingress protection of IP65/IP67/IP69K



**Wires & Cables**

Range from 0.5 sq mm to 300 sq mm  
Building Wires, Flexible Wires, Multi Core Cables, Flat Cables, HFFR, FRLS, ZHFR Wires, UL Rated Wires, Shielded & Braided Wires  
Bunched Conductors, Tinned Copper wires & Customised cables.



**Wire Harness / Power Cords**

Wire Harness for: Industrial Applications, Consumer Electronics, Automobile Industries, Medical Electronics. UL Approved. Power Cords as per Indian, European & American Standards

